



U.S. Department of Transportation


National Highway Traffic Safety Administration

Dear Crash Data Researchers/Users:

Thank you for choosing crash data from the National Highway Traffic Safety Administration (NHTSA) for your research or other use. The information contained in this motor vehicle crash report is collected, maintained and distributed in accordance with Public Law 89-564. In accordance with this Public Law, NHTSA is required not to release any case information until completion of quality control procedures. These procedures include a review of the case material to extract all names, licenses and registration numbers, non-coded interview material, non-research related researcher comments in the margins, non-factual data, and the production number portion of the vehicle identification number (VIN).

If you requested NHTSA to query its database files in order to identify a specific crash, then that query was made using non-personal descriptors you provided for use in our search. This motor vehicle crash may have been identified from a data search and matches the general, non-personal descriptors you provided, but we cannot confirm that this is the specific crash report you requested.

If you have any questions with regard to the above procedures, please contact the Field Operations Branch, Crash Investigation Division, National Center for Statistics and Analysis at 202-366-4820. Again, please be advised that we cannot confirm that this is the case that you have specifically requested nor can we certify the information to be correct.





PEDESTRIAN CASE SUMMARY NATIONAL ACCIDENT SAMPLING SYSTEM

PEDESTRIAN CRASH DATA STUDY

PSU 82

CASE NO. 601 P

TYPE OF ACCIDENT CAR TURNING LEFT/PEDESTRIAN WALKING

A. DESCRIPTION OF THE ACCIDENT SEQUENCE AND ACCIDENT PECULIARITIES

(Provide a summary of the accident sequence as well as any particular event of the accident that is noteworthy. Pedestrian injury mechanism and vehicle interaction is the focus, not pedestrian or driver culpability. Do not include any personal identifiers.)

> Vehicle #1 was in lane 2 of a 4-lane, 2-way street and entered an intersection waiting for opposite traffic to clear and began a left turn onto a 2-lane, 2-way street. The front of Vehicle #1 impacted a pedestrian walking east bound in the crosswalk. The pedestrian went onto the hood and fell off to the right side fender area to the ground. Vehicle #1 was stopped approximately one-half car length over the crosswalk.

			B. PED	ESTRIAN PR	OFILE				
Pedestrian			Treatment/	Most Severe Injury (TO BE COMPLETED BY ZONE CENTER)					
No.	Age	Sex	Mortality	Body Region	Ana. Struc.	AIS	Injury Source		
01	13	Female	Treated & released	External	Skin- other	1	non-context		

Body Region	Type of Anatomic Structure	Abbreviated Injury Scale
Head Face Throat Chest Abdomen/Pelvis Spine Upper Extremity Lower Extremity External	Whole Area Vessels Nerves Organs Skeletal Head-LOC Skin-Burn Skin-Other	 (1) Minor injury (2) Moderate injury (3) Serious injury (4) Severe injury (5) Critical injury (6) Maximum (untreatable) (7) Injured, unknown severity

		C. VEH	ICLE PROFILI	E			
	Class		Most Severe Damage Based on Vehicle Inspection				
Vehicle No.	of Vehicle	Year/Make/Model	Damage Plane	Damage Description			
01	Subcompact	92/Toyota/Paseo	Front	Minor - smears, scratches			

DO NOT SANITIZE THIS FORM

W


ACCIDENT COLLISION DIAGRAM

U.S. Department of Transportation National Highway Traffic Safety Administration NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY PSU No. 8 Indica Case Number-Stratum 6 P North, Sidewalk Ø 0 را_ Ped Signal Datum

HS Form 431B (8/95)

Scale: 1 centimeter = 3,5

ACCIDENT COLLISION DIAGRAM



Scale: 1 centimeter = _

meters



U.S. Department of Transportation National Highway Traffic Safety

PEDESTRIAN ACCIDENT COLLISION MEASUREMENT TABLE NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

Administration			PEDESTR	IIAN CRASH DATA STUDY
Primary Sampling Unit Number 23		Case N	lumber-Stratum	6 <u>0</u> † <u>P</u>
PEDESTRIAN ACCIDENT CO	LLISION DATA COLLE	CTION A NI	SCALI	ED DIAGRAM
document reference point and reference line relative to physical features	Surface Type	Highalto	* north arrow place	ced on diagram
documentation of all accident induced physical evidence including (if applicable):	Surface Condition	10y	 grade measurer roadways 	ments for all applicable
a) vehicle skid marks	Coefficient of Friction	_ځاه_	 scaled represent including: 	tations of the physical plant
b) pedestrian contacts with ground or object	Grade (v/h) Measureme	0000 10000 n. 1660 n. 1700 n . 170 n . 171 n. 171 n. 1700 n.	crosswalks, markings, n	dway delineation (e.g., curb/edge lines, lane nedians, pavement markings, cles, poles, signs, etc.)
c) vehicle/pedestrian point of impact (POI)	a) at impact	193	b) all traffic ∞	ntrols (e.g., lights, signs)
d) location of pedestrian separation point from vehicle	b) between impar final rest	tand 100		ntations of the vehicle and e-impact, impact, and final n either:
f) final resting points (FRP) for pedestrian and vehicle	Pedestrian Travel Direct	ion <u>Ruot</u>	a) physical ev	idence, or
documentation of the physical plant including:	Vehicle Travel Direction	2000A	b) reconstruct	ed accident dynamics
ali road/roadway delineation (e.g., crosswalks, curb/edge lines, lane markings, medians, pavement markings, parked vehicles, poles, signs, etc.) b) all traffic controls (e.g., lights, signs)	Number of Travel Lanes	-4-		
edut for men of Tubes	rsection			<u> </u>
lla-m-		Distance and Direction	n Dista	ance and Direction
Item		from Reference Point	fror	n Reference Line
Noll	R			
		and the second s		
		Access to the second se		
				•
				y Was

	Distance and Direction	Distance and Direction
Item	from Reference Point	from Reference Line
	-	
·		

X.

U.S. Department of Transportation

National Highway Traffic Safety Administration

PEDESTRIAN ACCIDENT FORM NATIONAL ACCIDENT SAMPLING SYSTEM

1

PEDESTRIAN CRASH DATA STUDY

1	Primary	Sampling	Unit	Number
١.	rillialy	Sampling	UIIIL	Number

2. Case Number - Stratum

IDENTIFICATION

- 3. Number of General Vehicle Forms Submitted 0
- 4. Date of Accident (Month, Day, Year)



5. Time of Accident

Code reported military time of accident.

NOTE: Midnight = 2400Unknown = 9999

SPECIAL STUDIES - INDICATORS

Check (✓) each special study (SS15-SS19 below) that has been completed; code 1 for the checked special studies and 0 for the special studies not checked.

- 6. ____SS15 Administrative Use
- 7. _✓SS16 Pedestrian Crash Data Study _1
- _SS17 Impact Fires
- SS18 _0_
- 10. SS19 0

NUMBER OF EVENTS

11. Number of Recorded Events in This Accident

<u>0 1</u>

0

0

PEDESTRIAN STUDY CRITERIA

Pedestrian Definition:

Any person who is on a trafficway or on a sidewalk or path contiguous with a trafficway, or on private property (e.g., parking lot). Note: Pedestrians include persons who are in contact with the ground, roadway, etc. and are pushing carts, wagons, etc. or holding on to a vehicle.

Persons in or on a nonmotorist conveyance are <u>not</u> pedestrians and are excluded from this study. A nonmotorist conveyance is defined as any human powered device by which a nonmotorist may move, or by which a pedestrian or nonmotorist may move another nonmotorist. A nonmotorist conveyance for purposes of this study includes the following: bicycles, baby carriages, roller skates/blades, push carts, scooters, wheelchairs, animals, etc. For example, persons on a bicycle/scooter, roller skating/blading, in a baby carriage/push cart/wheelchair or on a horse are excluded.

Case Selection Criteria:

A forward moving, late model year (VEH04 equals 90 to 95) CDS applicable vehicle (VEH07 equals 01 to 49) must strike a pedestrian.

The striking portion of the vehicle structure must be original equipment manufacturer (OEM) without previous damage and or parts removed in the impact area. For example, vehicles equipped with deer guards, winches, snow plows, etc. or previously damaged in the impact area are excluded.

The pedestrian may not be lying or sitting.

The pedestrian impact(s) are the vehicle's only impact(s). If multiple pedestrians are impacted, each pedestrian shall be a separate case.

The first point of contact between the late model year, CDS applicable vehicle and the pedestrian must be forward of the top of the A pillar.

		PEDESTRIAN	ACCIDENT	EVENTS		
Accident Event Sequence Number	Vehicle Number	Class Of Vehicle	General Area of Damage	Vehicle Number or Object Contacted	Class Of Vehicle	General Area of Damage
12. <u>0</u> <u>1</u>	13. <u>0</u> <u>1</u>	14.0	15.	16. <u>7 2</u>	17. <u>0</u> <u>0</u>	18. <u>0</u>

CODES FOR CLASS OF VEHICLE

- (00) Not a motor vehicle
- (01) Subcompact/mini (wheelbase < 254 cm)
- (02) Compact (wheelbase ≥ 254 but < 265 cm)
- (03) Intermediate (wheelbase ≥ 265 but < 278 cm)
- (04) Full size (wheelbase ≥ 278 but < 291 cm)
- (05) Largest (wheelbase ≥ 291 cm)
- (09) Unknown passenger car size
- (11) Compact utility vehicle
- (12) Large utility vehicle (≤ 4,500 kgs GVWR)
- (13) Passenger van (≤ 4,500 kgs GVWR)
- (14) Other van (≤ 4,500 kgs GVWR)
- (15) Pickup truck (≤ 4,500 kgs GVWR)
- (18) Other truck (≤ 4,500 kgs GVWR)
- (19) Unknown light truck type

CODES FOR GENERAL AREA OF DAMAGE (GAD)

CDS APPLICABLE VEHICLES

- (F) Front
- (R) Right side
- (L) Left side
- (U) Undercarriage
- (9) Unknown

CODES FOR VEHICLE NUMBER OR OBJECT CONTACTED

Collision with Nonfixed Object

(72) Pedestrian

U.S. Department of Transportation

PEDESTRIAN ASSESSMENT FORM

Form Approved O.M.B. No. 2127-0021

National Highway Traffic Safety Administration		NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY
Primary Sampling Unit Number	89	10. Pedestrian's Weight Code actual weight to the nearest
2. Case Number - Stratum	<u>6 1 P</u>	kilogram. (999) Unknown
3. Pedestrian Number	0_1	
PEDESTRIAN'S CHARA	ACTERISTICS	PEDESTRIAN'S PRE-AVOIDANCE ACTIONS
4. Pedestrian's Age Code actual age at time of accider (00) Less than one year old (spectage) (97) 97 years and older (99) Unknown		11. Pedestrian Attitude (1) Standing (2) Crouching (3) Kneeling (4) Bending at waist (8) Other (specify):
5. Pedestrian's Sex (1) Male (2) Female - not reported pregna (3) Female - pregnant-1st trimest (4) Female - pregnant-2nd trimest (5) Female - pregnant-3rd trimest (6) Female - pregnant-term unkno (9) Unknown 6. Pedestrian's Overall Height Code actual height to the nearest centimeter. (999) Unknown 7. Pedestrian's Height - Ground to Kr Code to the nearest centimeter. (999) Unknown inches X 2.54 = cent 8. Pedestrian's Height - Ground to Hi Code to the nearest	ter (1st-3rd month) ster (4th-6th month) ter (7th-9th month) own Centimeters A Continue ters Centimeters	(9) Unknown 12. Pedestrian Motion (0) Not moving (1) Walking slowly (2) Walking rapidly (3) Running a jogging (4) Hopping (5) Skipping (6) Jumping (7) Falling/stumbling or rising (8) Other (specify): (9) Unknown 13. Pedestrian's Action Relative to Vehicle (00) Stopped (01) Crossing road, straight (02) Crossing road, diagonally (03) Moving in road, with traffic (04) Moving in road, against traffic (05) Off road, approaching road (06) Off road, going away from road (07) Off road, moving parallel (08) Off road, moving along driveway (09) Off road, moving along driveway
centimeter. (999) Unknown inches X 2.54 = 9. Pedestrian's Height - Ground to Sh Code to the nearest centimeter. (999) Unknown inches X 2.54 =	noulder \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	(98) Other (specify): (99) Unknown 14. Pedestrian's Body (Chest) Orientation Relative to Striking Vehicle Prior to Avoidance Actions (1) Facing vehicle (2) Facing away (3) Left side to vehicle (4) Right side to vehicle (8) Other (specify): (9) Unknown

PEDESTRIAN'S AVOIDANCE ACTIONS 18. Pedestrian's Arm Orientation at Initial Impact (01) At sides 15. Pedestrian's First Avoidance Actions (02) Folded across chest (03) Hands clasped behind back (00) No avoidance actions (04) Hands on hips (01) Stopped (05) Hands in pockets (02) Accelerated pace (03) Ran away (along vehicle path) holding soft dunk (04) Jumped One or both arms: (05) Turned toward vehicle (06) Extended upward (06) Turned away from vehicle (07) Extended to side (07) Dove or fell away (08) Extended forward bracing (09) Extended, holding object (briefcase, suitcase, etc.) Used hand(s) to: (10) Holding object (young child, (11) Vault corner of vehicle (12) Vault onto vehicle(13) Brace against vehicle grocery bag, etc.) in arm(s) (11) Holding object (young child, grocery (14) Crouched and braced hands against vehicle bag, etc.) on shoulder(s) or head (98) Other (specify): _____ (98) Other (specify):_____ (99) Unknown (99) Unknown 19. Pedestrian's Leg Orientation at Initial Impact (01) Together PEDESTRIAN'S ORIENTATION AT IMPACT (02) Apart-laterally (03) Apart-right leg forward (04) Apart-left leg forward (05) Apart- forward leg unknown 16. Pedestrian's Head Orientation (06) Left foot off the ground at Initial Impact (07) Right foot off the ground (1) To front (08) Both feet off the ground (2) To left (3) To right (98) Other (specify): (99) Unknown (4) Up (5) Down 20. Vehicle/Pedestrian's Interaction (8) Other (specify): (01) Carried by vehicle, wrapped position (9) Unknown (02) Carried by vehicle, slid to windshield (03) Carried by vehicle, position unknown (04) Passed over vehicle top 17. Pedestrian's Body (Chest) Orientation (05) Thrown straight forward at Initial Impact (06) Thrown forward and left of vehicle (1) Facing vehicle (07) Thrown forward and right of vehicle (2) Facing away (08) Knocked to pavement, forward (3) Left side to vehicle (09) Knocked to pavement, left of vehicle (4) Right side to vehicle (10) Knocked to pavement, right of vehicle (8) Other (specify):____ (11) Knocked to pavement, run over or (9) Unknown dragged by vehicle (12) Shunted to left (corner impacts only) (13) Shunted to right (corner impacts only)

(14) Bumped or pushed aside

(16) Snagged, dragged by vehicle

(15) Snagged, rotated

(99) Unknown

(17) Foot or legs run over (98) Other (specify):_____

OFFICIAL RECORDS	INJURY CONSEQUENCES
21. Police Reported Alcohol Presence For Pedestrian (0) No alcohol present (1) Yes alcohol present (7) Not reported (9) Unknown	25. Injury Severity (Police Rating) (0) O - No injury (1) C - Possible injury (2) B - Nonincapacitating injury (3) A - Incapacitating injury (4) K - Killed (5) U - Injury, severity unknown
22. Alcohol Test Result For Pedestrian Code actual value (decimal implied before first digit—0.xx) (95) Test refused (96) None given (97) AC (Alcohol Content) test performed, results unknown (99) Unknown if test given	(6) Died prior to accident (9) Unknown 26. Treatment - Mortality (0) No treatment (1) Fatal (2) Fatal - ruled disease (specify): Nonfatal (3) Hospitalization (4) Transported and released
23. Police Reported Other Drug Presence For Pedestrian (0) No other drug(s) present (1) Yes other drug(s) present (7) Not reported (9) Unknown	(5) Treatment at scene - non-transported (6) Treatment later (8) Treatment - other (specify): (9) Unknown
24. Other Drug Specimen Test Result For Pedestrian (0) No specimen test given (1) Drug not found in specimen (2) Drug found in specimen, (specify):	27. Type Of Medical Facility (for Initial Treatment) (0) Not treated at a medical facility (1) Trauma center (2) Hospital (3) Medical clinic (4) Physician's office (5) Treatment later at medical facility (8) Other (specify): (9) Unknown
	28. Hospital Stay (00) Not Hospitalized Code the number of days (up through 60) that the pedestrian stayed in a hospital. (61) 61 days or more (99) Unknown
	29. Working Days Lost Code the number of days (up through 60) that the pedestrian lost from work due to the accident (00) No working days lost (61) 61 days or more (62) Fatally injured (97) Not working prior to accident (99) Unknown

STOP - VARIABLES 30 THROUGH 37 AR	RE COMPLETED BY THE ZONE CENTER
30. Glasgow Coma Scale (GCS) Score (at Medical Facility) (00) Not injured (01) Injured - not treated at medical facility (02) No GCS Score at medical facility (03-15) Code the actual value of the initial GCS Score recorded at medical facility. (97) Injured, details unknown (99) Unknown if injured 31. Was the Pedestrian Given Blood? (1) No - blood not given (2) Yes - blood given (specify units): (9) Unknown if blood given 32. Arterial Blood Gases (ABG) – HCO ₃ (00) Not injured (01) Injured, ABGs not measured or reported (02-50) Code the actual value of the HCO ₃ (96) ABGs reported, HCO ₃ unknown (97) Injured, details unknown (99) Unknown if injured 33. Time to Death Code number of hours from time of accident to time of death up through 24 hours. If time of death is greater than 24 hours, code number of days. (Note: 1 day = 31, 2 days = 32, n days = 30 +n up through 30 days = 60) (00) Not fatal (96) Fatal - ruled disease (99) Unknown	34. 1st Medically Reported Cause of Death 35. 2nd Medically Reported Cause of Death Code the Pedestrian Injury from line number(s) for the medically reported injury(s) which reportedly contributed to this pedestrian's death (00) Not fatal or no additional causes (96) Mode of death given but specific injuries are not linked to cause of death. (specify): (97) Other result (includes fatal ruled disease) (specify): (99) Unknown 37. Number of Recorded Injuries for This Pedestrian Code the actual number of injuries recorded for this pedestrian. (00) No recorded injuries (97) Injured, details unknown (99) Unknown if injured
ARE ALL APPLICABLE MEDICAL RECORD NO [] UPDATE CANDIDATE?	YES [U

Administration

U.S. Department of Transportation National Highway Traffic Safety

PEDESTRIAN INJURY FORM

Form Approved O.M.B. No. 2127-0021

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number

68 110₀

3. Pedestrian Number

0 1

2. Case Number - Stratum

4. Blank

<u>X</u> X


INJURY DATA

Record below the actual injuries sustained by this pedestrian in CHRONOLOGICAL order that were identified from the official and unofficial data sources. Remember not to double count an injury just because it was identified from two different sources. If greater than twenty-five injuries have been documented, encode the balance on the Pedestrian Injury Supplement.

				AIS-90					Injury				
	Source of Injury Data	Body Region	Type of Anatomic Structure	Specific Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect	Injury Source	Source Confidence Level	Direct/ Indirect Injury	Striking Profile	Type Of Damage	Damage Depth
1st	5. 2	<u>.6</u>	7. <u>4</u>	s. <u>02</u>	9. <u>7 \$</u>	10	11.6	12. 997	13. 📙	14.3	15. <u>C</u>	> _{16.} <u>Ø</u>	17. <u></u>
2nd	18.7	19. 7	20. <u>9</u>	21. 02	_{22.} 0 3	23/	24	25. <u>947</u>	26	27	28	29.0_	30. <u>D</u>
3rd	31	32	33	34	35	36	37	38,	39	40	41	42	43
4th	44	45	48	47	48.	49	50	51	52	53	54	55	56
5th	57	58	59	60	61	62	63	64	65	66	67	68	69. <u> </u>
6th	70	71.	72	73.	74	75	76	77	78	79	80	81	82
7th	83	84	85	86:	87	88	89	90	91	92	93	94	95
8th	96	97	98;	99	100	101,	102	103	_ 104:	105	106,	107	108
9th	109	110	111	112	113	114	115	116	117	118	119	120	121
10th	122	123	124,	125	126	. 127	128	129	130	131	132	133	134

Source Type of Specific Source Direct/ Ty											Туре		
of	Injury Data	Body Region	Anatomic Structure	Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect	Injury Source	Confidence Level	Indirect Injury	Striking Profile	Of Damage	Damage Depth
l1th _													
l 2th _			<u></u>	•			_						
3th										<u>—</u>		-	
14th _								 -	_	<u></u>			
15th _						<u></u>				-		—	—
16th _							_					_	_
17th _													
18th _	*.												
19th _													
20th _													
21st _			_						<u></u>				
22nd _			_						—	_		-	
23rd _			_				_		_		_	_	_
24th _			-			_	—					—	_
25th _													

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)



SOURCE OF INJURY DATA INJURY SOURCE CONFIDENCE LEVEL TYPE OF DAMAGE Certain OFFICIAL (0) Injury not from vehicle contact Probable No damage/contact (1) Autopsy records with or without hospital/ Possible (3) Scratch (Scuff, Cloth Transfer, Smear) medical records Unknown Dent (2) Hospital/medical records other than Large deformation **DIRECT/INDIRECT INJURY** emergency room (e.g., discharge (5)Cracked, fractured, shattered summary) Direct contact injury (1) (6) Separated from vehicle (3) Emergency room records only (including Indirect contact injury Noncontact injury Noncontact injury associated X-rays or other lab reports) Other specify: (8) (7) Injured, unknown source (4) Private physician, walk-in or emergency Unknown clinic STRIKING PROFILE **DAMAGE DEPTH** Injury not from vehicle contact Flat-Narrow (<15 centimeters) Flat-Wide (≥ 15 centimeters) UNOFFICIAL (0) Injury not from vehicle contact (1)(5) Lay coroner report No residual damage Surface only damage Crush depth > 0 to 2 centimeters Crush depth > 2 to 5 centimeters (6) E.M.S. personnel Rounded (contoured) Interviewee (4)Rounded edge (3) (5) Sharp edge Other (specify): (8) Other source (specify): Crush depth >5 to 10 centimeters Other specify:_ (9) Police (9) Unknown (9) Unknown PEDESTRIAN INJURY CLASSIFICATION **Body Region** Specific Anatomic Structure Spine (02) Cervical (04) Thoracic **Abbreviated Injury Scale** Head Whole Area Minor injury (02) Skin - Abrasion (04) Skin - Contusion (06) Lumbar (2) Face (2) Moderate injury (3) Neck (3) (4) Serious injury <u>Vessels, Nerves, Organs, Bones, Joints</u> are assigned consecutive two digit numbers beginning with 02 Thorax (06) Skin - Laceration Severe injury (08) Skin - Avulsion (5) Abdomen Critical injury (6) Spine (10) Amputation Maximum (untreatable) (6)**Upper Extremity** (20) Burn Injured, unknown severity (20) Crush (40) Degloving (50) Injury - NFS (90) Trauma, other than mechanical (8) Lower Extremity Level of Injury Unspecified (9) Aspect Specific injuries are assigned two-digit Type of Anatomic Structure consecutive numbers Right beginning with 02. Head - LOC (02) Length of LOC (04, 06, 08) Level of Consciousness (1) Whole Area (3) (4) Bilateral Vessels To the extent possible, within the organizational framework of the AIS, 00 Central (3) Nerves Anterior Organs (includes muscles/ ligaments) is assigned to an injury NFS as to severity or where only one injury is given in the dictionary for that anatomic (4)(10) Concussion (6) (7) Posterior Superior Skeletal (includes joints) (8) Inferior structure. 99 is assigned to any injury NFS as to lesion or severity. (6)Head - LOC (9) Unknown Skin Whole region **INJURY SOURCE** FRONT Wheels / tires 700 Front bumper 744 B pillar 790 Left front wheel / tire 701 Front lower valance/spoiler 745 C pillar 791 Right front wheel / tire 792 Left rear wheel / tire 702 Front grille 746 D pillar 703 Hood edge and/or trim 748 Other pillar (specify): 793 Right rear wheel /tire 704 Hood ornament (fixed) 749 Right side roof rail 798 Other wheel / tire (specify): 705 Hood ornament (spring loaded) 750 Right side door surface 799 Unknown wheel / tire 706 Headlight 751 Right side door handle 752 Right side mirror fixed housing 707 Retractable headlight door (Open/Closed) Undercarriage components 753 Right side folding mirror 708 Turn signal/parking lights 800 Front crossmember 718 Other front or add on object 754 Right side glazing forward of B pillar 801 Steering assembly/Front suspension (specify): 755 Right side glazing rearward of B pillar 802 Oil pan 719 Unknown front object 756 Rear antenna 803 Exhaust system pipe 757 Rear fender or quarter panel 804 Transmission Left Side Components 758 Other right side object 805 Drive shaft 720 Front fender side surface (specify): 806 Catalytic converter 721 Front antenna 759 Unknown right side component 807 Muffler 722 A1 pillar 808 Floor pan Back Components 760 Rear (back) bumper 723 A2 pillar 809 Fuel tank 724 B pillar 810 Rear suspension 725 C pillar 761 Tailgate 818 Other undercarriage component 726 D pillar 762 Hatchback, vertical surface (specify): 728 Other pillar 768 Other back component 819 Unknown undercarriage component (specify): (specify): 729 Left side roof rail 769 Unknown back component **Accessories** 730 Left side door surface 820 Air scoop, deflector 731 Left side door handle Top Components 821 Cellular or CB radio antenna 732 Left side mirror fixed housing 770 Hood surface 822 Emergency lights or bar 733 Left side folding mirror 771 Hood surface reinforced by under hood 823 Fog lights 734 Left side glazing forward of B pillar 824 Luggage, ski, or bike rack component 735 Left side glazing rearward of B pillar 772 Front fender top surface 825 Cargo (specify):_ 736 Left side back fender or quarter panel 773 Cowl area 826 Spare tire 737 Rear antenna 774 Wiper blade & mountings 827 Spotlight 775 Windshield glazing 738 Other left side object 828 Other accessory (specify):_ (specify): 776 Front header 739 Unknown left side component 777 Roof surface Other Object or Vehicle in Environment 778 Backlight glazing 947 Ground Right Side Components 779 Rear header 948 Other object (specify): 949 Unknown object in environment 740 Front fender side surface 780 Hatchback 741 Front antenna 781 Rear trunk lid 959 Unknown object on contacting vehicle 742 A1 pillar 788 Other top component (specify): _ 997 Noncontact injury source 743 A2 pillar 789 Unknown top component 999 Unknown injury source

OFFICIAL INJURY DATA — SKELETAL INJURIES

Restrained?

___ No

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are

Yes

unavailable.)

Blood Alcohol Level

(mg/dl)

BAL = ____

Glasgow Coma Scale Score

GCSS = 0

Units of Blood Given


Units =


Arterial Blood Gases

Ph = __._

PCO₂


HCO₃






OFFICIAL INJURY DATA —INTERNAL INJURIES

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)





(1) Drug not found in specimen (2) Drug found in specimen unknown or not obtained

(8) No driver present

(9) Unknown

PEDESTRIAN GENERAL VEHICLE FORM NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY Administration **OFFICIAL RECORDS** 1. Primary Sampling Unit Number 2. Case Number - Stratum 9. Police Reported Travel Speed 3. Vehicle Number Code to the nearest kmph (NOTE: 000 means less than 0.5 kmph) (160) 159.5 kmph and above (999) Unknown VEHICLE IDENTIFICATION mph X 1.6093 = ___ kmph 4. Vehicle Model Year Code the last two digits of the model year 10. Speed Limit (99) Unknown (000) No statutory limit Code posted or statutory speed limit in kmph 5. Vehicle Make (specify):

Applicable codes are found in your NASS PCDS Data Collection, Coding and (999) Unknown **3**0 mph X 1.6093 = ____ kmph Editing Manual. 11. Police Reported Alcohol Presence For Driver (99) Unknown (0) No alcohol present (1) Yes alcohol present (7) Not reported (8) No driver present 6. Vehicle Model (specify): (9) Unknown raseo Applicable codes are found in your NASS PCDS Data Collection, Coding and 12. Alcohol Test Result For Driver Editing Manual. Code actual value (decimal implied (999) Unknown before first digit - 0.xx) (95) Test refused (96) None given (97) AC (Alcohol Content) test 7. Body Type Note: Applicable codes may be found on performed, results unknown (98) No driver present the back of this page. (99) Unknown 8. Vehicle Identification Number Source: TRELYSFI 13. Police Reported Other Drug Presence For Driver (0) No other drug(s) present (1) Yes other drug(s) present Left justify; Slash zeros and letter Z (Ø and Z) (7) Not reported No VIN-Code all zeros (8) No driver present Unknown—Code all nines (9) Unknown 14. Other Drug Specimen Test Result For Driver (0) No specimen test given

CODES FOR BODY TYPE

CDS APPLICABLE VEHICLES

Automobiles

- (01) Convertible (excludes sun-roof, t-bar)
- (02) 2-door sedan, hardtop, coupe
- (03) 3-door/2-door hatchback
- (04) 4-door sedan, hardtop
- (05) 5-door/4-door hatchback
- (06) Station wagon (excluding van and truck based)
- (07) Hatchback, number of doors unknown
- (08) Other automobile type (specify):
- (09) Unknown automobile type

Automobile Derivatives

- (10) Auto based pickup (includes El Camino, Caballero, Ranchero, Brat, and Rabbit pickup)
- (11) Auto based panel (cargo station wagon, auto based ambulance/hearse)
- (12) Large limousine more than four side doors or stretched chassis
- (13) Three-wheel automobile or automobile derivative

Utility Vehicles (≤ 4,500 kgs GVWR)

- (14) Compact utility (Jeep CJ-2 CJ-7, Scrambler, Golden Eagle, Renegade, Laredo, Wrangler, Cherokee [84 and after], Dispatcher, Raider, Bronco II, Bronco [76 and before], Explorer, S-10 Blazer, Geo Tracker, Bravada, S-15 Jimmy, Thing, Pathfinder, Trooper, Trooper II, Rodeo, Amigo, Navajo, 4-Runner, Montero, Samurai, Sidekick, Rocky)
- (15) Large utility (includes Jeep Cherokee [83 and before], Ramcharger, Trailduster, Bronco-fullsize [78 and after], fullsize Blazer, fullsize Jimmy, Landcruiser, Rover, Scout)
- (16) Utility station wagon (Chevy Suburban, GMC Suburban, Travelall, Grand Wagoneer, includes suburban limousine)
- (19) Utility, unknown body type

Van Based Light Trucks (≤ 4,500 kgs GVWR)

- (20) Minivan (Chrysler Town and Country, Caravan, Grand Caravan, Voyager, Grand Voyager, Mini-Ram, Dodge/Plymouth Vista, Aerostar, Villager, Lumina APV, Trans Sport, Silhouette, Astro, Safari, Toyota Van, Toyota Minivan, Previa, Nissan Minivan, Quest, Mitsubishi Minivan, Vanagon/Camper.)
- (21) Large van (B150-B350, Sportsman, Royal, Maxiwagon, Ram, Tradesman, Voyager [83 and before], E150-E350, Econoline, Clubwagon, Chateau, G10-G30, Chevy Van, Beauville, Sport Van, G15-G35, Rally Van, Vandura.)
- (22) Step van or walk-in van (≤ 4,500 kgs GVWR)
- (23) Van based motorhome (≤ 4,500 kgs GVWR)
- (24) Van based school bus (≤ 4,500 kgs GVWR)
- (25) Van based other bus (≤ 4,500 kgs GVWR)
- (28) Other van type (Hi-Cube Van, Kary) (specify):
- (29) Unknown van type

Light Conventional Trucks (Pickup style cab, ≤ 4,500 kgs GVWR)

- (30) Compact pickup (D50, Colt P/U, Ram 50, Dakota, Arrow Pickup [foreign], Ranger, Courier, S-10, T-10, LUV, S-15, T-15, Sonoma, Datsun/Nissan Pickup, P'up, Mazda Pickup, Toyota Pickup, Mitsubishi Pickup)
- (31) Large Pickup (Jeep Pickup, Comanche, Ram Pickup, D100-D350, W100-W350, F100-F350, C10-C35, K10-K35, R10-R35, V10-V35, Silverado, Sierra, R100-R500,)

- (32) Pickup with slide-in camper
- (33) Convertible pickup
- (39) Unknown pickup style light conventional truck type

Other Light Trucks (≤ 4,500 kgs GVWR)

- (40) Cab chassis based (includes rescue vehicles, light stake, dump, and tow truck)
- (41) Truck based panel
- (42) Light truck based motorhome (chassis mounted)
- (45) Other light conventional truck type
- (48) Unknown light truck type
- (49) Unknown light vehicle type (automobile, utility, van, or light truck)

OTHER VEHICLES

Buses (Excludes Van Based)

- (50) School bus (designed to carry students, not cross country or transit)
- (58) Other bus type (e.g., transit, intercity, bus based motorhome) (specify):
- (59) Unknown bus type

Medium/Heavy Trucks (> 4,500 kgs GVWR)

- (60) Step van (> 4,500 kgs GVWR)
- (61) Single unit straight truck (4,500 kgs < GVWR ≤ 8,850 kgs)
- (62) Single unit straight truck (8,850 kgs < GVWR s 12,000 kgs)
- (63) Single unit straight truck (> 12,000 kgs GVWR)
- (64) Single unit straight truck, GVWR unknown
- (65) Medium/heavy truck based motorhome
- (67) Truck-tractor with no cargo trailer
- (68) Truck-tractor pulling one trailer
- (69) Truck-tractor pulling two or more trailers
- (70) Truck-tractor (unknown if pulling trailer)
- (78) Unknown medium/heavy truck type
- (79) Unknown truck type (light/medium/heavy)

Motored Cycles (Does Not Include All-Terrain Vehicles/Cycles)

- (80) Motorcycle
- (81) Moped (motorized bicycle)
- (82) Three-wheel motorcycle or moped
- (88) Other motored cycle (minibike, motorscooter) (specify):_____
- (89) Unknown motored cycle type

Other Vehicles

- (90) ATV (All-Terrain Vehicle) and ATC (All-Terrain Cycle)
- (91) Snowmobile
- (92) Farm equipment other than trucks
- (93) Construction equipment other than trucks
- (97) Other vehicle type
- (99) Unknown body type

VEHICLE WEIGHT ITEMS	RECONSTRUCTION DATA
15. Vehicle Curb Weight Code weight to nearest 10 kilograms. (045) Less than 450 kilograms (610) 6,100 kilograms or more (999) Unknown (999) Unknown Source: 16. Vehicle Cargo Weight Code weight to nearest 10 kilograms. (000) Less than 5 kilograms (450) 4,500 kilograms or more	Nearest kmph Nearest kmph (NOTE: 000 means greater than .5 kmph) (160) 159.5 kmph and above (999) Unknown 19. Accuracy Range of Impact Speed Estimate (0) No reconstruction (1) Less than 2 kmph (2) ≥ 2 kmph and ≤ 8 kmph (3) ≥ 9 kmph and ≤ 16 kmph (4) ≥ 17 kmph and ≤ 26 kmph (9) Unknown 20. Data Source of Impact Speed
(999) Unknown, lbs X .4536 =, kgs OTHER DATA	(0) No impact speed calculated (1) Zone center calculation (2) Police calculation (3) Driver/witness/police estimates PRECRASH DATA 21. Driver's Attention to Driving (Prior to Recognition of Critical Event)
17. Vehicle Special Use (This Trip) (0) No special use (1) Taxi (2) Vehicle used as school bus (3) Vehicle used as other bus (4) Military (5) Police (6) Ambulance (7) Fire truck or car (8) Other (specify): (9) Unknown	(1) Full attention to driving (2) Distracted by other occupant (3) Distracted by moving object in vehicle (4) Distracted by outside person, object, or event (5) Talking on cellular phone or CB radio Specify: (6) Sleeping or dozing while driving (8) Other (specify): (9) Unknown 22. Pre-Event Vehicle Movement (Prior to Recognition of Critical Event) (01) Going straight (02) Slowing or stopping in traffic lane (03) Starting in traffic lane (04) Stopped in traffic lane (05) Passing or overtaking another vehicle (06) Disabled or parked in travel lane (07) Leaving a parking position (08) Entering a parking position (09) Turning right
STOP - VARIABLES 18 THROUGH 20 ARE COMPLETED BY THE ZONE CENTER	 (10) Turning left (11) Making a U-turn (12) Backing up (other than for parking position) (13) Negotiating a curve (14) Changing lanes (15) Merging (16) Successful avoidance maneuver to a previous critical event (97) Other (specify): (98) No driver present (99) Unknown

23. Critical Precrash Event	(83) Pedalcyclist or other nonmotorist in roadway
This Vehicle Loss of Control Due To:	(specify):
(01) Blow out or flat tire	(84) Pedalcyclist or other nonmotorist approaching
(02) Stalled engine	roadway (specify):
(03) Disabling vehicle failure (e.g., wheel fell off)	(85) Pedalcyclist or other nonmotorist—unknown
(specify):	location (specify):
(04) Non-disabling vehicle problem (e.g., hood flew	Object or Animal
up) (specify):	(87) Animal in roadway
(05) Poor road conditions (puddle, pot hole, ice, etc.)	(88) Animal approaching roadway
(specify):	(89) Animal—unknown location
(06) Traveling too fast for conditions	(90) Object in roadway
(08) Other cause of control loss (specify):	(91) Object approaching roadway
	(92) Object—unknown location
(09) Unknown cause of control loss	(98) Other critical precrash event (specify):
This Vehicle Traveling	
(10) Over the lane line on left side of travel lane	(99) Unknown
(11) Over the lane line on right side of travel lane	(1)
(12) Off the edge of the road on the left side	24. Attempted Avoidance Maneuver
(13) Off the edge of the road on the right side	(00) No driver present
(14) End departure	(01) No avoidance actions
(15) Turning left at intersection	(02) Braking (no lockup)
(16) Turning right at intersection	(03) Braking (lockup)
(17) Crossing over (passing through) intersection	(04) Braking (lockup unknown)
(19) Unknown travel direction	(05) Releasing brakes
Other Motor Vehicle In Lane	(06) Steering left
(50) Stopped	(07) Steering right
(51) Traveling in same direction with lower speed	(08) Braking and steering left
(i.e., lower steady speed or decelerating)	(09) Braking and steering right
(52) Traveling in same direction with higher speed	(10) Accelerating
(53) Traveling in opposite direction	(11) Accelerating and steering left
(54) In crossover	(12) Accelerating and steering right (98) Other action (specify):
(55) Backing (59) Unknown travel direction of other motor vehicle	(99) Unknown
in lane	(99) Olikilowii
Other Motor Vehicle Encroaching Into Lane	25. Precrash Stability After Avoidance Maneuver
(60) From adjacent lane (same direction) – over left	(0) No driver present
lane line	(1) No avoidance maneuver
(61) From adjacent lane (same direction)—over right	(2) Tracking
lane line	(3) Skidding longitudinally—rotation less than 30
(62) From opposite direction—over left lane line	degrees
(63) From opposite direction—over right lane line	(4) Skidding laterally—clockwise rotation
(64) From parking lane	(5) Skidding laterally—counterclockwise rotation
(65) From crossing street, turning into same direction	(8) Other vehicle loss-of-control (specify):
(66) From crossing street, across path	(9) Precrash stability unknown
(67) From crossing street, turning into opposite	(3) Treclasif stability drikitown
direction	26. Precrash Directional Consequences of
(68) From crossing street, intended path not known	Avoidance Maneuver (Corrective Action)
(70) From driveway, turning into same direction	(0) No driver present
(71) From driveway, across path	(1) No avoidance maneuver
(72) From driveway, turning into opposite direction	(2) Vehicle stayed in travel lane where avoidance
(73) From driveway, intended path not known	maneuver was initiated
(74) From entrance to limited access highway	(3) Vehicle stayed on roadway but left travel lane
(78) Encroachment by other vehicle—details	where avoidance maneuver was initiated
unknown	(4) Vehicle stayed on roadway, not known if left travel lane where avoidance maneuver was
Pedestrian or Pedalcyclist, or Other Nonmotorist	initiated
(80) Pedestrian in roadway	(5) Vehicle departed roadway
(81) Pedestrian approaching roadway	(6) Avoidance maneuver initiated off roadway
(82) Pedestrian—unknown location	(9) Directional consequences unknown

	ENVIRONME	NTAL DATA
27.	Relation to Junction (0) Non-junction (1) Interchange area Non-Interchange (2) Intersection (3) Intersection-related (4) Drive, alley access related (5) Other non-interchange (specify): (6) Unknown type of non-interchange	33. Roadway Surface Condition (1) Dry (2) Wet (3) Snow and slush (4) Ice (5) Sand, dirt or oil (8) Other (specify): (9) Unknown
	(9) Unknown if interchange	(0) No traffic control(s) (1) Trafficway traffic control signal (not RR crossing)
28.	Trafficway Flow (1) Not physically divided (two way traffic) (2) Divided trafficway - median strip without positive barrier (3) Divided trafficway - median strip with positive barrier (4) One way trafficway (9) Unknown	Regulatory or School Zone Sign (Not RR Crossing) (2) Stop sign (3) Yield sign (4) School zone sign (5) Other sign (specify): (6) Unknown sign (7) Warning sign (not RR crossing) (8) Miscellaneous/other controls including RR
29.	Number of Travel Lanes (1) One (2) Two (3) Three (4) Four (5) Five (6) Six (7) Seven or more (9) Unknown	controls (specify): (9) Unknown 35. Traffic Control Device Functioning (0) No traffic control (1) Not Functioning (2) Functioning (9) Unknown
30.	Roadway Alignment (1) Straight (2) Curve right (3) Curve left (9) Unknown	36. Light Conditions (1) Daylight (2) Dark (3) Dark, but lighted (4) Dawn (5) Duck
31.	Roadway Profile (1) Level (2) Uphill Grade (>2%) (3) Downhill Grade (>2%) (4) Hillcrest (5) Sag (9) Unknown	(5) Dusk (9) Unknown 37. Atmospheric Conditions (1) No adverse atmospheric related driving conditions (2) Rain (3) Sleet
32.	Roadway Surface Type (1) Concrete (2) Bituminous (asphalt) (3) Brick or Block (4) Slag, gravel or stone (5) Dirt (8) Other (specify): (9) Unknown	(4) Snow (5) Fog (6) Rain and fog (7) Sleet and fog (8) Other (e.g., smog, smoke, blowing sand or dust, etc.) (specify): (9) Unknown

	!		1
namen en e	42-601P	19	6
ago, and a secondary decrease and a secondary	92 Tayota Pasco	1340F	
		1470	
and the second s		5-8"	
enicum minimus pakaus pika dinimus pika Radionala artika		Never Su Car,	
	FRP to POI	right elbow	
and the second s	4m = 13 ft	-	i
and a second state of the	reading time 1,55-c		
	1,190//3000		4
	5=Vt+ 2/2		
		D,024V2	
	$13 = 1.5 \text{ V} + \frac{V^2}{(2)[adv5)(32.2)}$	0,0,4	
	0,024v2 + 1,5 V -13-		·
		<u> </u>	
	B = 1,5		
3 A. S.	-62 100	<u>4 A C</u>	
a an and and an angle of the state of the s	$V = \frac{2}{1.5 \pm 72.25 + 1}$	1,24	:
ann an an airte an	V = -1.57 73.49		:
	2 A		:
	= 0.368 =	0,368 =	
	2 4	0,098	
	= 7.7 fPS = 5 mph	- alph	
	- mph	- 47//	The state of the s

U.S. Department of Transportation National Highway Traffic Safety Administration

PEDESTRIAN EXTERIOR VEHICLE FORM

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number

89

3. Vehicle Number

0 1

2. Case Number - Stratum

VEHICLE IDENTIFICATION

VINJTAEL45FIN

Model Year

Vehicle Make (specify):

Possola

Vehicle Model (specify):

ases

PEDESTRIAN FRONT CONTACT WORK SHEET

PEV06 Hood Material

PEV08 Hood Length

PEV09 Hood Width-Forward Opening

PEV10 Hood Width-Midway

PEV11 Hood Width-Rear Opening

PEV14 Front Bumper Cover Material

PEV15 Front Bumper Reinforcement Material

Theel		
	099	cm
	125	cm

 $\frac{130}{132}$ cm²

Steel

VERTICAL MEASUREMENTS

PEV17 Front Bumper-Top Height

PEV18 Forward Hood Opening

PEV19 Front Bumper Lead

031	cm 🗸
051	cm ✓
057	cm 🗸

WRAP DISTANCES

PEV20 Ground to Forward Hood Opening

PEV21 Ground to Front/Top Transition Point

PEV22 Ground to Rear Hood Opening

PEV23 Ground to Base of Windshield

PEV24 Ground to Top of Windshield

PEV25 Ground to Head Contact


 $\frac{0}{0} \frac{6}{0} \frac{6}{0} cm^{2}$ $\frac{1}{1} \frac{7}{1} \frac{0}{1} cm^{2}$ $\frac{1}{2} \frac{7}{5} \frac{0}{1} cm^{2}$

100E

cm


. .


cm V



Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axles (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.).

Location of the origin (intercept point of the centerline and the front axles) from the ground:





Location of the origin (intercept point of the centerline and the front axles) from the ground:


DOINTS	OF PEDESTRIAN	CONTACT	DEDECTRIAN # 4
PUNIS	OF PEDESIKIAN	CONTACT	PEDESTRIAN # 1

PEDESTRIAN CONTACT WORKSHEET PAGE

	CONTACT I D LABEL	COMPONENT CONTACTED (CODE or OBJECT)	LOCATION	LATERAL LOCATION	CRUSH IN CM	SUSPECTED BODY REGION	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF CONTACT POINT
	1	Bumpon	1,27	5	1	1.		1 2 3 9
3	3_	Bruk	1-49	SI	The second	199		1 2 3 9
3	E	Hand	4-66	8	18	1		1 2 3 9
	<u>- </u>	" way	5-75	3 (16	Jose Huo		1 2 3 9
Ц	4	Hood	47	99		- 0 / 11 \		1 2 3 9
	D	Hood	69	-2		Touling	•	1 2 3 9
Ì	<u> </u>	۲	35	~ 		(E 250		1 2 3 9
	<u> </u>	11	7-6	25	·)	Rock		1 2 3 9
	0	HOOK	7	22		1000 De		1 2 3 9
	9		-14	52		1007		1 2 3 9
	<u> </u>	Hand				From Bag		1 2 3 9
	· <u>8</u>	W30 -	16	50		,		1 2 3 9
	<u> </u>	\square	15	40 (CIO	loke Carri	U 0	1 2 3 9
	44	Thort	-6	61	7	, Collina	IMA	1 2 3 9
	¥ K	Tal 0	<u> </u>	75				1 2 3 9
	7	fonds	-17	70				1 2 3 9
	WG	to la	-18	87				1 2 3 9
	w B	70/00 (5	92		01	•	1 2 3 9
	WO	March	39	39		Side Bridge		1 2 3 9
	with	Mo Ool	50	64	,	of Logo		1 2 3 9
	*					'		1 2 3 9
								1 2 3 9
								1 2 3 9
ı		* * · · · · · · · · · · · · · · · · · ·						1 2 3 9
								1 2 3 9

PEDESTRIAN SIDE CONTACT WORK SHEET PEV06 Hood Material PEV08 Hood Length PEV09 Hood Width-Forward Opening cm PEV10 Hood Width-Midway cm PEV11 Hood Width-Rear Opening cm **VERTICAL MEASUREMENTS** PEV26 Ground Clearance cm PEV27 Side Bumper-Bottom Height cm PEV28 Side Bumper-Top Height cm PEV29 Centerline of Wheel cm PEV30 Top of Tire PEV31 Top of Wheel Well Opening cm PEV32 Bottom of A-Pillar at Windshield cm PEV33 Top of A-Pillar at Windshield cm PEV34 Top of Side View Mirror cm LATERAL MEASUREMENTS PEV35 C_L to A-Pillar at Bottom of Windshield cm PEV36 C_L to A-Pillar at Top of Windshield PEV37 C_L to Maximum Side View Mirror Protrusion cm **WRAP DISTANCES** PEV38 Ground to Side/Top Transition cm PEV39 Ground to Hood Edge cm PEV40 Ground to Centerline of Hood (ORIGIN) cm PEV41 Ground to Head Contact cm

VEHICLE DAMAGE SKETCH



NOTES:

Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axles (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.).

	ORIGINAL SPECIFICATION	DNS
Wheelbase Overall Length Maximum Width Curb Weight Average Track Front Overhang Rear Overhang Undeformed End Width Engine Size: cyl./displ	inchesinchesinchesinchesinchescc	$\times 2.54 = 4 \frac{1}{1} \frac{5}{5} \text{ cm}$
FRONT 700 Front bumper 701 Front lower valance/spoiler 702 Front grille 703 Hood edge and/or trim 704 Hood ornament (fixed) 705 Hood ornament (spring loaded) 706 Headlight 707 Retractable headlight door (Open/Closed) 708 Turn signal/parking lights 718 Other front or add on object (specify):	INJURY SOURCE 744 B pillar 745 C pillar 746 D pillar 748 Other pillar (specify): 749 Right side roof rail 750 Right side door surface 751 Right side door handle 752 Right side mirror fixed housing 753 Right side glazing forward of B pillar 755 Right side glazing rearward of B pillar 755 Right side glazing rearward of B pillar 756 Rear antenna 757 Rear fender or quarter panel 758 Other right side object (specify): 759 Unknown right side component Back Components 760 Rear (back) bumper 761 Tailgate 762 Hatchback, vertical surface 768 Other back component (specify): 769 Unknown back component Top Components 770 Hood surface 771 Hood surface reinforced by under hood component 772 Front fender top surface 773 Cowl area 774 Wiper blade & mountings 775 Windshield glazing 776 Front header 777 Roof surface 778 Backlight glazing 779 Rear header 779 Rear header 779 Rear header	Wheels / tires 790 Left front wheel / tire 791 Right front wheel / tire 792 Left rear wheel / tire 793 Right rear wheel / tire 798 Other wheel / tire (specify): 799 Unknown wheel / tire Undercarriage components 800 Front cross member 801 Steering assembly/Front suspension 802 Oil pan 803 Exhaust system pipe 804 Transmission 805 Drive shaft 806 Catalytic converter 807 Muffler 808 Floor pan 809 Fuel tank 810 Rear suspension 818 Other undercarriage component (specify): 819 Unknown undercarriage component Accessories 820 Air scoop, deflector 821 Cellular or CB radio antenna 822 Emergency lights or bar 823 Fog lights 824 Luggage, ski, or bike rack 825 Cargo (specify): 826 Spare tire 827 Spotlight 828 Other accessory (specify): Other Object or Vehicle in Environment 947 Ground 948 Other object (specify): 949 Unknown object in environment

Part de

	POINTS OF PEDESTRIAN CONTACT PEDESTRIAN CONTACT WORKSHEET								
	CONTACT ID LABEL	COMPONENT Contacted	LONGITUDINAL LOCATION (X)	LATERAL LOCATION (Y)	CRUSH IN CENTIMETERS	SUSPECTED Body region	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF CONTACT POINT (<i>Circle</i>)	SEQUENCE #
	1	Cunka	95	5	0	Lys	Strates of Bunta	2 3 9	.)
	7	" "	1863/15	51	0	2	gurang	1 (2) 27,8)
	E	Krod Fly	86	Q '	0/	Mea	Zarge \	1 2 3 9	3
7)	LA_	" "	33	31	S	4,54	Shlen	1 2 3 9	3
	4	Hoed	La Y	29~	<i>"</i>		(area	2 3 9	3
-	0	Hoad	76620	<u>-7</u>	0	Foots	Curry	() 2 3 9	4
	<u>a</u>	<i>''</i>	25 N	<u>-1+,</u>	À	onthan	a men	2 3 9	4
ione	و	4229	99.	25	9	A	None	1 2 3 9	2
,	0	'n	- →, `	<i>35.</i>	1/	Sm	Conving	1 2 3 9	5
(9	<u>"</u>	-14'	Sa.	١,		-1-24V_	$ \begin{array}{c c} \sqrt{2} & 3 & 4 \\ \hline \end{array} $	5
*	4	4000	$\rightarrow \rightarrow^{\prime}$	31,	0	Bas	Long	2 3 9	9
	8	*	16	50	/	OFFICE	5,20	V ^{2 3 8}	6
	4	Hood	12	40	SCAL	Riv	200	2 3 9	<i></i>
Mag	9.6) - 6	6	79		conjuga	2 3 9	A
rol	2 2 3 4	Asp of	0	<u> </u>		racepa	Source	2 3 9	Ъ
	7	Conte		<u> </u>	Bonnelo		contact (7)	1239	2
	<u> </u>	Silab	/ -18	イン	0	May	Silo straks	1/2 3 9	8
whit	9 B	633	/ b	92'	Q	1000		1/2 3 8	0
	te a	100	39	39	Φ	Side	5 ideshipe	1 2 3 9	7
wk	20 6		50'	64	8	of Law	smeds.	1/2 3 8	
						J	Feed	1 2 3 9	
								1 2 3 9	1
								1 2 3 9	
								1 2 3 9	
•								1 2 3 9	

¥.4.

~	POINTS OF PEDESTRIAN CONTACT CHRONOLOGICAL ORDER OF CONTACTS							
CONTACT #	COMPONENT CONTACTED CODE	LONGITUDINAL Location (X)	LATERAL LOCATION (Y)	CRUSH IN CENTIMETERS	SUSPECTED BODY REGION	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF CONTACT POINT (<i>Circle)</i>	
1							1 2 3 9	
2							1 2 2 9	
3				700			1 2 3 9	
•			bry	1, 3			1 2 1 9	
5			V		,`\$		1 2 3 9	
8			()				1 2 3 8	
7			3~		str		1 2 3 9	
		X15		₩			1 2 3 8	
9			V				1 2 3 9	
10							1 2 3 9	
11							1 2 3 9	
12							1 2 3 9	
13							1 2 3 9	
14							1 2 3 9	
15							1 2 3 9	
18							1 2 3 9	
17							1 2 3 9	
18							1 2 3 9	
19							1 2 3 9	
21							1 2 3 9	
22							1 2 3 9	
23							1 2 3 9	
24							1 2,3 9	
25		,					1 2 3 9	

	124
VEHICLE DIMENSIONS	11 Head Width Boar Opening
220-	11. Hood Width Rear Opening
4 Optimizati NA/harathara	Code to the
4. Original Wheelbase	nearest centimeter
Code to the	(210) 210 centimeters or more
nearest centimeter	(999) Unknown
(999) Unknown	(999) Onknown
(000) OTIRIOWII	
$\mathcal{L} \mathcal{L} \mathcal{D}$	inches X 2.54 = centimeters
inches X 2.54 = centimeters	
inches X 2.54 = centimeters	12. Hood/Fender Vertical/Lateral Crush From
5. Original Average Track Width	· '\ '
Code to the	Pedestrian
Code to the	(O) Not damaged
nearest centimeter	(1) Surface scratching only, no residual crush
(185) 185 centimeters or more	(2) Minor crush (1-3 centimeters)
(999) Unknown	
•	(3) Moderate crush (4-7 centimeters)
55. inches X 2.54 = 19 centimeters	(4) Severe crush (>7 centimeters)
	(8) Damage present, unknown if damage is from
_	pedestrian impact
	, · · · · · · · · · · · · · · · · · · ·
6. Hood Material	(9) Unknown
(1) Plastic	13. Windshield Contact Damage
(2) Fiberglass	From Pedestrian Contact
(3) Steel	(0) Not contacted by pedestrian
(4) Aluminum	
(5) Stainless Steel	(1) Contacted by pedestrian - not damaged
• • •	(2) Contacted by pedestrian - damaged
(8) Other (specify):	(3) Unknown if contacted by pedestrian - not
(9) Unknown	damaged
7. Hood Original	(4) Unknown if contacted by pedestrian -
Equipment Manufacturer (OEM)	damaged
	(9) Unknown if contacted by pedestrian -
(1) OEM factory installed hood	unknown if damaged
(2) OEM replacement	•
(3) Non-OEM replacement	
(9) Unknown	FRONT CONTACT DAMAGE
- O. O.	
\sim \sim \sim \sim \sim \sim	Front Vertical Measurements
8. Hood Length	\
Code to the	14. Front Bumper Cover Material
nearest centimeter	
(180) 180 centimeters or more	(O) No front contact
	(1) Plastic
(999) Unknown	(2) Fiberglass
	(3) Rubber
inches X 2.54 = centimeter	(4) Other (specify):
125	
9. Hood Width Forward Opening	(9) Unknown
Code to the	
	15. Front Bumper Reinforcement Material
nearest centimeter	(0) No front contact
(210) 210 centimeters or more	1
(999) Unknown	(1) Steel
, , , , , , , , , , , , , , , , , , , ,	(2) Aluminum
Inches V O EA	(3) Stainless Steel
inches X 2.54 = centimeters	(4) Other (specify):
130/	(9) Unknown
10. Hood Width Midway	$\bigcap_{i} \lambda_{i}$
Code to the	16 Front Burnou Better Unicht \')\[\(\sigma\)
nearest centimeter	16. Front Bumper-Bottom Height
(210) 210 centimeters or more	Code to the
	Code to the
, ,	nearest centimeter
(999) Unknown	
(999) Unknown	nearest centimeter (000) No front contact
•	nearest centimeter (000) No front contact (150) 150 centimeters or more
(999) Unknown	nearest centimeter (000) No front contact
(999) Unknown	nearest centimeter (000) No front contact (150) 150 centimeters or more

17.	Front Bumper-Top Height Code to the	23. Ground to Base of Windshield Code to the
	nearest centimeter	nearest centimeter (000) No front contact
	(000) No front contact (150) 150 centimeters or more	(400) 400 centimeters or more
	(999) Unknown	(999) Unknown
	inches X 2.54 = centimeters	inches X 2.54 = centimeters
40	Forward Hood Opening () 5 7	24. Ground to Top of Windshield $\frac{354}{}$
18.	Code to the	Code to the
	nearest centimeter (000) No front contact	nearest centimeter (000) No front contact
	(200) 200 centimeters or more	(500) 500 centimeters or more (999) Unknown
	(999) Unknown	
	inches X 2.54 = centimeters	inches X 2.54 = centimeters
10	Second Britanian Load	25. Ground To Head Contact Code to the
19.	Front Bumper Lead (00) No front contact	nearest centimeter
	Code to the nearest centimeter	(000) No front contact (400) 400 centimeters or more
	(30) 30 centimeters or more	(998) No head contact (999) Unknown
	(99) Unknown	(==== /
	inches X 2.54 = centimeters	inches X 2.54 = centimeters
		CIDE CONTACT DAMACE
	Front Wrap Distance Measurements	SIDE CONTACT DAMAGE
		Side Vertical Measurements
20.	Ground to Forward Hood Opening Q	ος cd G
20.	Ground to Forward Hood Opening Code to the nearest centimeter	26. Ground Clearance Code to the
20.	Code to the nearest centimeter (000) No front contact	Code to the nearest centimeter
20.	Code to the nearest centimeter	Code to the
20.	Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more	Code to the nearest centimeter (000) No side contact
	Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown inches X 2.54 = centimeters	Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more
	Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown inches X 2.54 = centimeters Ground to Front/Top Transition Point	Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown inches X 2.54 = centimeters
	Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknowninches X 2.54 =centimeters Ground to Front/Top Transition PointCode to the nearest centimeter	Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown
	Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown inches X 2.54 =centimeters Ground to Front/Top Transition Point Code to the nearest centimeter (000) No front contact	Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown
	Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknowninches X 2.54 =centimeters Ground to Front/Top Transition PointCode to the nearest centimeter	Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown
	Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown	Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown
	Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown inches X 2.54 =centimeters Ground to Front/Top Transition Point Code to the nearest centimeter (000) No front contact (180) 180 centimeters or more (999) Unknown	Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown
21.	Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown	Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown
21.	Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown	Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown inches X 2.54 =centimeters 27. Side Bumper-Bottom HeightCode to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknowninches X 2.54 =centimeters 28. Side Bumper-Top Height
21.	Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown	Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown
21.	Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown	Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown
21.	Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown	Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown
21.	Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown	Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown
21.	Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown	Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown

29. Centerline of Wheel	000	Side Lateral Messureme	nts
Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown		35. Centerline to A-Pillar at Bottom of Windshield (000) No side contact Code to the	000
inches X 2.54 =	_ centimeters	nearest centimeter (250) 250 centimeters or more (999) Unknown	•
30. Top of Tire Code to the	000	inches X 2.54 =	centimeters
nearest centimeter (000) No side contact (200) 200 centimeters or more (999) Unknown		36. Centerline to A-Pillar at Top of Windshield Code to the	000
inches X 2.54 =	_ centimeters	nearest centimeter (000) No side contact (250) 250 centimeters or more	
31. Top of Wheel Well Opening Code to the	000	(999) Unknown inches X 2.54 =	centimeter
nearest centimeter (000) No side contact (250) 250 centimeters or more (999) Unknown		37. Centerline to Maximum Side View Mirror Protrusion	<u>000</u>
inches X 2.54 =	_ centimeters	Code to the nearest centimeter (000) No side contact	
32. Bottom of A-Pillar at Windshield Code to the nearest centimeter	780	(300) 300 centimeters or more (999) Unknown	
(000) No side contact (250) 250 centimeters or more (999) Unknown		inches X 2.54 =	-
inches X 2.54 =	_ centimeters	Side Wrap Distance Measur	ements
33. Top of A-Pillar at Windshield Code to the nearest centimeter (000) No side contact (300) 300 centimeters or more	<u>000</u>	38. Ground to Side/Top Transition Code to the nearest centimeter (000) No side contact (400) 400 centimeters or more (999) Unknown	() () ()
(999) Unknown . inches X 2.54 =	centimeters	inches X 2.54 =	centimeters
34. Top of Side View Mirror Code to the nearest centimeter (000) No side contact (300) 300 centimeters or more (999) Unknown	<u>00</u> B	39. Ground to Hood Edge Code to the nearest centimeter (000) No side contact (500) 500 centimeters or more (999) Unknown	<u>J00</u>
inches X 2.54 =	_ centimeters	inches X 2.54 =	centimeters
•		•	

40. Ground to Centerline of Hood Code to the nearest centimeter (000) No side contact (700) 700 centimeters or more (999) Unknown inches X 2.54 =centimeters 41. Ground to Head Contact Code to the nearest centimeter (000) No side contact (800) 800 centimeters or more	
(998) No head contact (999) Unknowninches X 2.54 = centimeters	



82601P00010012 969.0010000000000101F72000

82601P00010021 9.00 0000000001321474608312703411013012306040109600142009702 1010000000002

10100000000002

82601P00010131 9.00 0000000076402781699713000

82601P00010231 9.00 00000000077902021294711000

82601P01000041 9.00 000000000924904202JT2EL45F1N 99904809600094000000

81141015011131413211211

82601P01000051 9.00 0000000002381403109912513013210310310510570906406617017

PSU82 CASE 601P

CURRENT VERSION: 9.00

ERROR SUMMARY SCREEN
PEDESTRIAN STUDY



	NUMBER OF DOLLAR SIGNS	NUMBER OF LEVEL 1 ERRORS	NUMBER OF LEVEL 2 ERRORS	VERSION NUMBER CONSISTENT
Pedestrian Accident	o	O	o	Y
Pedestrian Assessment	Ō	ò	Ö	Ÿ
Pedestrian Injury	, 0	Ó	Ö	Υ
Pedestrian General Vehicl	e ()	0	Ó	Υ
Pedestrian Exterior Vehic	le O	0	O	Υ
Total Inter Errors		o	0	
Total Case Errors	0	o	0	